

WHAT IS CLAIMED IS:

[0049] 1. An aerosol paint product comprising:

(a.) a container comprising a can, a valve cup with a valve assembly, a dip tube and an actuator; and

(b.) an aerosol paint composition disposed within said container, said aerosol paint composition comprising:

at least 30 weight percent of at least one volatile organic solvent;

at least 10 weight percent of a resin system comprising an acrylic modified alkyd resin and an acrylic chlorinated polyolefin resin;

at least 10 weight percent of an aerosol propellant; and

a colorant.

[0050] 2. The aerosol paint product of claim 1 wherein the propellant is selected from the group consisting of ethers, C1-C4 saturated hydrocarbons, hydrofluorocarbons, and mixtures of the foregoing.

[0051] 3. The aerosol paint product of claim 1 wherein the propellant is a blend of n-butane and propane.

[0052] 4. The aerosol paint product of claim 1 wherein the aerosol paint composition comprises a drying agent.

[0053] 5. The aerosol paint product of claim 1 wherein the acrylic modified alkyd resin and the acrylic chlorinated polyolefin resin are present at a weight solids ratio between about 9 to 1 and 1 to 9.

[0054] 6. The aerosol paint product of claim 1 wherein the acrylic modified alkyd resin and the acrylic chlorinated polyolefin resin are present at a weight solids ratio between about 1.2 to 1 and 1 to 1.2.

[0055] 7. The aerosol paint product of claim 1 wherein the paint product is substantially free of water.

[0056] 8. The aerosol paint product of claim 1 wherein the paint product also comprises a light stabilizer.

[0057] 9. The aerosol paint product of claim 1 wherein the can is comprised of tin plated steel.

[0058] 10. A coating composition comprising:

- (a.) an acrylic modified alkyd resin;
- (b.) an acrylic modified chlorinated polyolefin;
- (c.) a volatile organic solvent;
- (d.) a drying agent; and
- (e.) a colorant.

[0059] 11. The coating of claim 10 wherein the acrylic modified chlorinated polyolefin and the acrylic modified alkyd resin are present at a weight solids ratio between 9 to 1 and 1 to 9.

[0060] 12. The coating of claim 10 wherein the acrylic modified chlorinated polyolefin and the acrylic modified alkyd resin are present at a weight solids ratio between about 1.2 to 1 and about 1 to 1.2.

[0061] 13. The coating composition of claim 10 wherein the composition is substantially free of water.

[0062] 14. A process of coating a substrate, which process comprises:

(i.) providing an aerosol paint product comprising:

(a.) a container comprising a can, a valve cup with a valve assembly, a dip tube and an actuator; and

(b.) an aerosol paint composition disposed within said container, said aerosol paint composition comprising:

at least 30 weight percent of at least one volatile organic solvent;

at least 10 weight percent of a resin system comprising an acrylic modified alkyd resin and an acrylic chlorinated polyolefin resin;

at least 10 weight percent of an aerosol propellant; and
a colorant.

(ii.) activating the valve assembly to create an aerosol spray of the aerosol paint composition;

(iii.) directing the spray to apply the paint composition onto the substrate;
and

(iv.) allowing the paint composition to cure or dry.

[0063] 15. The process of claim 14 wherein the substrate is plastic.